


The quick charge from the left side mounted the wheels and properly tightened. When attaching the wheels to make sure that the wheel rotation direction marked on the tires




After the attachment of the wheel put a metal shaft on the brake shoes




Remove the plastic cap from hinge pin of stand



Metal tube of the stand setting up and installation of direction from the upper level on the top position



The stand hanged on pin to hanging






Put the screw into slot hole and properly tighten by tools









To glue the plastic cap tube of stand



Short time hold the cap after drying the glue is attached to stand





- As the **scooter is correctly assembled**, to move and spin front and the rear wheel. If touching and pushing the rim of the brake shoes brake blocks is necessary to enable and adjust.
- **Scooter is designed** to ride and move according to the selected type of scooters. basic breakdown:
 - street scooter m
 - mountain scooter
 - scooter for city traffic
 - freestyle scooter for experience of adrenalin
 - scooter designed for sport
 - scooter for kids
 - scooters for adults
 - scooter is designed for one person driving. If equipped with child seat, is intended also to transport the child (subject to the child's age and weight as specific and according local law)
- **The scooter is prohibited:**
 - to load than what is given scooter designed (riding in two person, jumps from curbs and walls)
 - scooter structurally modify in any way (in terms of interference in the frame)
 - mandatory accessory for any rider is bike helmet, without which the trip inadmissible
 - ride on a scooter is subject to traffic regulations according to local rules, just like riding a bike
 - on the another scooter than designed for the freeride is prohibited to fly, jump and otherwise away from the ground
 - to the scooter can be connected only trolley approved by manufacture